

|    | Type | Hits | Search Text  | DBs                |
|----|------|------|--|--------------------|
| 1  | BRS  | 0    | XML with 717/168-178.ccls.   | USPAT;<br>US-PGPUB |
| 2  | BRS  | 53   | XML and 717/168-178.ccls.  | USPAT;<br>US-PGPUB |
| 3  | BRS  | 24   | XML with manifest\$1   | USPAT;<br>US-PGPUB |
| 4  | BRS  | 37   | XML same manifest\$1   | USPAT;<br>US-PGPUB |
| 5  | BRS  | 1    | 5999740.pn.  | USPAT;<br>US-PGPUB |
| 6  | BRS  | 139  | software adj extension\$1  | USPAT;<br>US-PGPUB |
| 7  | BRS  | 8673 | (software adj extension\$1)<br>with HTML or XML  | USPAT;<br>US-PGPUB |
| 8  | BRS  | 0    | (software adj extension\$1)<br>with (HTML or XML)  | USPAT;<br>US-PGPUB |
| 9  | BRS  | 1    | (software adj extension\$1)<br>same (HTML or XML)  | USPAT;<br>US-PGPUB |
| 10 | BRS  | 6    | (software adj updat\$8)<br>with (HTML or XML)  | USPAT;<br>US-PGPUB |
| 11 | BRS  | 28   | (software adj updat\$8)<br>same (HTML or XML)  | USPAT;<br>US-PGPUB |
| 12 | BRS  | 11   | (software adj upgrad\$8)<br>same (HTML or XML)   | USPAT;<br>US-PGPUB |
| 13 | BRS  | 269  | (software adj updat\$6)<br>same (web page)   | USPAT;<br>US-PGPUB |
| 14 | BRS  | 58   | (software adj updat\$6)<br>same ("web page")   | USPAT;<br>US-PGPUB |
| 15 | BRS  | 22   | (software adj updat\$6)<br>same ("web page")   | USPAT              |
| 16 | BRS  | 873  | (download\$6 or transmit\$6)<br>adj2 ((web adj page) or<br>HTML)   | USPAT              |
| 17 | BRS  | 21   | (download\$6 or transmit\$6)<br>adj2 ((web adj page) or<br>HTML) and 717/\$.ccls.                                    | USPAT              |
| 18 | BRS  | 3    | ((download\$6 or<br>transmit\$6) adj2 ((web adj<br>page) or HTML)) same<br>(software adj (updat\$8 or<br>upgrad\$8)) | USPAT              |

|    | Type | Hits | Search Text  | DBs                |
|----|------|------|--|--------------------|
| 19 | IS&R | 1    | ("5999740").PN.  | USPAT;<br>US-PGPUB |
| 20 | IS&R | 1    | ("6219698").PN.  | USPAT;<br>US-PGPUB |
| 21 | BRS  | 8    | 717/168-178.ccls. and<br>file\$3 near hash\$3  | USPAT;<br>US-PGPUB |
| 22 | BRS  | 280  | file\$3 near hash\$3   | USPAT;<br>US-PGPUB |
| 23 | BRS  | 21   | (file\$3 near hash\$3) with<br>(updat\$7 or upgrad\$7)   | USPAT;<br>US-PGPUB |
| 24 | BRS  | 14   | (<br>"5845090"   "5919247"  <br>"5930513"   "5960204"  <br>"6006035"   "6067582"  <br>"6167567"   "6199204"  <br>"6256668"   "6266811"  <br>"6282709"   "6282711"  <br>"6301710"   "6314565") .PN. | USPAT              |
| 25 | BRS  | 2    | COMClass   | USPAT;<br>US-PGPUB |
| 26 | BRS  | 5    | order\$4 with file\$1 with<br>group\$4 with download\$6  | USPAT;<br>US-PGPUB |
| 27 | BRS  | 2270 | file\$3 near group\$4  | USPAT;<br>US-PGPUB |
| 28 | BRS  | 5    | (file\$3 near group\$4) same<br>(download\$5 with order\$5)  | USPAT;<br>US-PGPUB |
| 29 | BRS  | 76   | download adj order   | USPAT;<br>US-PGPUB |
| 30 | BRS  | 13   | (file\$3 near group\$4) with<br>queue\$4   | USPAT;<br>US-PGPUB |
| 31 | BRS  | 225  | queu\$7 near2 director\$6  | USPAT;<br>US-PGPUB |
| 32 | BRS  | 44   | (queu\$7 near2 director\$6)<br>with file\$3  | USPAT;<br>US-PGPUB |
| 33 | BRS  | 86   | 717/168-178.ccls. and<br>(queue)   | USPAT;<br>US-PGPUB |
| 34 | BRS  | 10   | 717/168-178.ccls. and<br>(queue with order\$5)   | USPAT;<br>US-PGPUB |
| 35 | BRS  | 23   | user\$5 with queu\$7 with<br>priorit\$7 with input\$5  | USPAT;<br>US-PGPUB |
| 36 | BRS  | 0    | old adj package\$1 adj<br>directory  | USPAT;<br>US-PGPUB |

|    | Type | Hits | Search Text   | DBs                |
|----|------|------|---|--------------------|
| 37 | BRS  | 0    | previous adj package\$1 adj directory                           | USPAT;<br>US-PGPUB |
| 38 | BRS  | 58   | previous adj directory  | USPAT;<br>US-PGPUB |
| 39 | BRS  | 76   | old adj directory   | USPAT;<br>US-PGPUB |
| 40 | BRS  | 1598 | URN   | USPAT;<br>US-PGPUB |
| 41 | BRS  | 27   | address with director\$6 with old                               | USPAT;<br>US-PGPUB |
| 42 | BRS  | 0    | queu\$7 with depedenc\$7  | USPAT;<br>US-PGPUB |
| 43 | BRS  | 0    | queu\$7 with depeden\$7   | USPAT;<br>US-PGPUB |
| 44 | BRS  | 1120 | queu\$7 with dependen\$7  | USPAT;<br>US-PGPUB |
| 45 | BRS  | 54   | queu\$7 with dependen\$7 with file\$1                           | USPAT;<br>US-PGPUB |
| 46 | BRS  | 0    | queu\$7 with dependen\$7 with file\$1 same manipulats\$7        | USPAT;<br>US-PGPUB |
| 47 | BRS  | 55   | 717/\$.ccls. and (dependenc\$7 with package\$5)                 | USPAT;<br>US-PGPUB |
| 48 | BRS  | 107  | (dependenc\$7 with application\$1) same (updat\$7 or upgrad\$7) | USPAT;<br>US-PGPUB |
| 49 | BRS  | 102  | 717/\$.ccls. and (depend\$7 with package\$5)                    | USPAT;<br>US-PGPUB |
| 50 | BRS  | 56   | 717/168-178.ccls. and (depend\$7 with package\$5)               | USPAT;<br>US-PGPUB |
| 51 | BRS  | 0    | 717/168-178.ccls. and (package\$1 with "each application")      | USPAT;<br>US-PGPUB |
| 52 | BRS  | 0    | package\$1 with "each application"                              | USPAT;<br>US-PGPUB |
| 53 | BRS  | 9    | package\$1 with "every application"                             | USPAT;<br>US-PGPUB |
| 54 | BRS  | 0    | 717/\$.ccls. with ((client\$1 or user\$1) with information\$1)  | USPAT;<br>US-PGPUB |

|    | Type | Hits | Search Text   | DBs                |
|----|------|------|---|--------------------|
| 55 | BRS  | 2289 | 717/\$.ccls. and ((client\$1 or user\$1) with information\$1)   | USPAT;<br>US-PGPUB |
| 56 | BRS  | 155  | 717/168-178.ccls. and ((client\$1 or user\$1) with information\$1) with (updat\$7 or upgrad\$7)                   | USPAT;<br>US-PGPUB |
| 57 | BRS  | 57   | 717/168-178.ccls. and ((client\$1) with information\$1) with (updat\$7 or upgrad\$7)                              | USPAT;<br>US-PGPUB |
| 58 | BRS  | 14   | 717/168-178.ccls. and ((client\$1 or user\$1) with information\$1) with (updat\$7 or upgrad\$7) with packag\$7    | USPAT;<br>US-PGPUB |
| 59 | BRS  | 7    | 717/168-178.ccls. and ((client\$1 or user\$1) with information\$1) with (updat\$7 or upgrad\$7) same dependenc\$7 | USPAT;<br>US-PGPUB |
| 60 | BRS  | 6    | 717/168-178.ccls. and (information\$1 adj2 (client\$1 or user\$1)) with (updat\$7 or upgrad\$7) same packag\$7    | USPAT;<br>US-PGPUB |
| 61 | BRS  | 6    | 717/168-178.ccls. and (custom\$7 adj package\$3)  | USPAT;<br>US-PGPUB |
| 62 | BRS  | 31   | 717/\$.ccls. and (dependenc\$7.ti.)   | USPAT;<br>US-PGPUB |
| 63 | BRS  | 2    | (software adj extension\$1) with package\$1   | USPAT;<br>US-PGPUB |
| 64 | BRS  | 33   | (software adj upgrad\$7) with package\$1  | USPAT;<br>US-PGPUB |
| 65 | BRS  | 0    | multiple\$2 with (software adj upgrad\$7) with package\$1   | USPAT;<br>US-PGPUB |
| 66 | BRS  | 12   | multiple\$2 with upgrad\$7 with package\$1  | USPAT;<br>US-PGPUB |
| 67 | BRS  | 0    | (file adj usage) with scenario\$3   | USPAT;<br>US-PGPUB |
| 68 | BRS  | 1    | (file adj usage) with test\$3   | USPAT;<br>US-PGPUB |

|    | Type | Hits | Search Text  | DBs                |
|----|------|------|--|--------------------|
| 69 | BRS  | 212  | file adj usage   | USPAT;<br>US-PGPUB |
| 70 | BRS  | 14   | file adj usage with<br>statistic\$2                            | USPAT;<br>US-PGPUB |
| 71 | BRS  | 3    | file adj usage with sort\$6                                    | USPAT;<br>US-PGPUB |
| 72 | BRS  | 4    | file adj usage same sort\$6                                    | USPAT;<br>US-PGPUB |
| 73 | BRS  | 770  | file with sort\$6 with<br>(use\$2 or usage)                    | USPAT;<br>US-PGPUB |
| 74 | BRS  | 0    | sort\$6 adj file with<br>(use\$2 or usage) and<br>717/\$.ccls. | USPAT;<br>US-PGPUB |
| 75 | BRS  | 56   | sort\$6 adj file with<br>(use\$2 or usage)                     | USPAT;<br>US-PGPUB |
| 76 | BRS  | 1    | sort\$6 adj file with<br>(usage)                               | USPAT;<br>US-PGPUB |
| 77 | BRS  | 0    | sort\$6 adj file with<br>statistic\$6                          | USPAT;<br>US-PGPUB |
| 78 | BRS  | 13   | sort\$6 adj file with<br>character\$4                          | USPAT;<br>US-PGPUB |
| 79 | BRS  | 878  | 717/\$.ccls. and sort\$7                                       | USPAT;<br>US-PGPUB |
| 80 | BRS  | 149  | 717/168-178.ccls. and<br>sort\$7                               | USPAT;<br>US-PGPUB |
| 81 | BRS  | 9    | 717/168-178.ccls. and<br>sort\$7 with (pack\$6)                | USPAT;<br>US-PGPUB |
| 82 | BRS  | 212  | file adj usage   | USPAT;<br>US-PGPUB |
| 83 | BRS  | 4    | (file adj usage) same<br>sort\$7                               | USPAT;<br>US-PGPUB |
| 84 | BRS  | 79   | (file adj usage) and<br>sort\$7                                | USPAT;<br>US-PGPUB |
| 85 | BRS  | 3    | (file adj usage) and<br>(sort\$7 adj file\$1)                  | USPAT;<br>US-PGPUB |
| 86 | BRS  | 0    | (statistic\$3) with<br>(scenario\$3) with<br>priorit\$5        | USPAT;<br>US-PGPUB |
| 87 | BRS  | 0    | (statistic\$3) with<br>(scenario\$3) same<br>priorit\$5        | USPAT;<br>US-PGPUB |

|     | Type | Hits | Search Text   | DBs                |
|-----|------|------|---|--------------------|
| 88  | BRS  | 5    | (statistic\$3) with<br>(scenario\$3) and<br>(scenario\$3 with<br>priorit\$5)                            | USPAT;<br>US-PGPUB |
| 89  | BRS  | 27   | (statistic\$3) with<br>(scenario\$3) with<br>collect\$6   | USPAT;<br>US-PGPUB |
| 90  | BRS  | 4    | (statistic\$3) with<br>(scenario\$3) and<br>717/\$.ccls.  | USPAT;<br>US-PGPUB |
| 91  | BRS  | 13   | (statistic\$3) with<br>(scenario\$3) and<br>707/\$.ccls.  | USPAT;<br>US-PGPUB |
| 92  | BRS  | 28   | (statistic\$3) with<br>(scenario\$3) with<br>generat\$7   | USPAT;<br>US-PGPUB |
| 93  | BRS  | 222  | (statistic\$3) with<br>(scenario\$3)  | USPAT;<br>US-PGPUB |
| 94  | BRS  | 645  | (statistic\$3) with test\$6<br>with (software\$1 or<br>application\$1)                                  | USPAT;<br>US-PGPUB |
| 95  | BRS  | 66   | (statistic\$3) with test\$6<br>with (software\$1 or<br>application\$1) and<br>scenario\$3               | USPAT;<br>US-PGPUB |
| 96  | BRS  | 344  | scenario\$3 with priorit\$6   | USPAT;<br>US-PGPUB |
| 97  | BRS  | 23   | scenario\$3 near priorit\$6   | USPAT;<br>US-PGPUB |
| 98  | BRS  | 0    | (statistic\$3) with test\$6<br>with (software\$1 or<br>application\$1) and (test\$5<br>adj priorit\$6)  | USPAT;<br>US-PGPUB |
| 99  | BRS  | 8    | (statistic\$3) with test\$6<br>with (software\$1 or<br>application\$1) and (test\$5<br>with priorit\$6) | USPAT;<br>US-PGPUB |
| 100 | BRS  | 84   | scenario\$3 near3 priorit\$6  | USPAT;<br>US-PGPUB |
| 101 | BRS  | 69   | scenario\$3 near2 priorit\$6  | USPAT;<br>US-PGPUB |
| 102 | BRS  | 375  | scenario\$3 near2 order\$7  | USPAT;<br>US-PGPUB |

|     | Type | Hits  | Search Text  | DBs                |
|-----|------|-------|--|--------------------|
| 103 | BRS  | 0     | (statistic\$3) with test\$6 with (software\$1 or application\$1) and (scenario\$3 near order\$6) | USPAT;<br>US-PGPUB |
| 104 | BRS  | 2     | (statistic\$3) with test\$6 with (software\$1 or application\$1) and (test\$6 near2 priorit\$6)  | USPAT;<br>US-PGPUB |
| 105 | BRS  | 106   | (statistic\$3) with test\$6 with (software\$1 or application\$1) and (test\$6 near2 order\$6)    | USPAT;<br>US-PGPUB |
| 106 | BRS  | 349   | (statistic\$3) with test\$6 with (software\$1 or application\$1) and log\$6                      | USPAT;<br>US-PGPUB |
| 107 | BRS  | 58    | (statistic\$3) with test\$6 with (software\$1 or application\$1) and (log\$6 with statistic\$6)  | USPAT;<br>US-PGPUB |
| 108 | BRS  | 4     | (knowledge adj base) with typical\$6 with task\$3  | USPAT;<br>US-PGPUB |
| 109 | BRS  | 217   | (scenario\$3 or test\$3) with typical\$6 with task\$3  | USPAT;<br>US-PGPUB |
| 110 | BRS  | 60    | (scenario\$3 or test\$3) with (typical\$6 near task\$3)  | USPAT;<br>US-PGPUB |
| 111 | BRS  | 14    | (scenario\$3 or test\$3) with (often\$1 near task\$3)  | USPAT;<br>US-PGPUB |
| 112 | BRS  | 1143  | (scenario\$3 or test\$3) with (often\$1 near used)   | USPAT;<br>US-PGPUB |
| 113 | BRS  | 81    | (scenario\$3 or test\$3) with (most near often\$1 near used)                                     | USPAT;<br>US-PGPUB |
| 114 | BRS  | 14752 | test\$5 with software  | USPAT;<br>US-PGPUB |
| 115 | BRS  | 83    | test\$5 with software with statistic\$1  | USPAT;<br>US-PGPUB |
| 116 | BRS  | 3     | test\$5 with software with statistic\$1 and (test adj suite\$1)                                  | USPAT;<br>US-PGPUB |
| 117 | BRS  | 24    | functionalit\$4 with (test adj suite\$1)   | USPAT;<br>US-PGPUB |

|     | Type | Hits  | Search Text   | DBs                |
|-----|------|-------|---|--------------------|
| 118 | BRS  | 598   | version\$6 with hash\$6   | USPAT;<br>US-PGPUB |
| 119 | BRS  | 93    | version\$6 near hash\$6   | USPAT;<br>US-PGPUB |
| 120 | BRS  | 0     | versioning near hash\$6   | USPAT;<br>US-PGPUB |
| 121 | BRS  | 7     | versioning with hash\$6   | USPAT;<br>US-PGPUB |
| 122 | IS&R | 1     | ("5999740").PN.   | USPAT;<br>US-PGPUB |
| 123 | BRS  | 0     | manifest\$3 same<br>(download\$5 near<br>directive\$1)                                | USPAT;<br>US-PGPUB |
| 124 | BRS  | 7     | download\$5 near<br>directive\$1  | USPAT;<br>US-PGPUB |
| 125 | BRS  | 0     | group\$4 with file\$4 with<br>online\$1 with offline\$1                               | USPAT;<br>US-PGPUB |
| 126 | BRS  | 36    | group\$4 with online\$1 with<br>offline\$1  | USPAT;<br>US-PGPUB |
| 127 | BRS  | 9     | group\$4 with offline\$1<br>with content  | USPAT;<br>US-PGPUB |
| 128 | BRS  | 14037 | group\$4 with file\$3   | USPAT;<br>US-PGPUB |
| 129 | BRS  | 17    | online with offline with<br>director\$7   | USPAT;<br>US-PGPUB |
| 130 | BRS  | 8     | offline near director\$7  | USPAT;<br>US-PGPUB |
| 131 | BRS  | 12    | offline near2 director\$7   | USPAT;<br>US-PGPUB |
| 132 | BRS  | 35    | offline near2 group\$5  | USPAT;<br>US-PGPUB |
| 133 | BRS  | 63    | offline with director\$7  | USPAT;<br>US-PGPUB |
| 134 | BRS  | 10    | offline\$1 with file\$1 with<br>cach\$5   | USPAT;<br>US-PGPUB |
| 135 | BRS  | 159   | group\$6 with file\$5 with<br>first\$5 with time\$4                                   | USPAT;<br>US-PGPUB |
| 136 | BRS  | 22    | group\$6 with file\$5 with<br>(first\$5 adj time\$4)                                  | USPAT;<br>US-PGPUB |
| 137 | BRS  | 0     | 717/168-178.ccls. and (dll<br>or (dynamic adj link adj<br>librar\$6)) with depeden\$7 | USPAT;<br>US-PGPUB |



|     | Type | Hits | Search Text  | DBs                |
|-----|------|------|--|--------------------|
| 138 | BRS  | 3    | 717/168-178.ccls. and (dll<br>or (dynamic adj link adj<br>librar\$6)) with dependen\$7 | USPAT;<br>US-PGPUB |
| 139 | BRS  | 4    | 717/168-178.ccls. and (dll<br>or (dynamic adj link adj<br>librar\$6)) with depend\$7   | USPAT;<br>US-PGPUB |
| 140 | BRS  | 129  | 717/168-178.ccls. and (dll<br>or (dynamic adj link adj<br>librar\$6))                  | USPAT;<br>US-PGPUB |
| 141 | BRS  | 0    | 717/168-178.ccls. and (dll<br>or (dynamic adj link adj<br>librar\$6)) with manifest\$5 | USPAT;<br>US-PGPUB |
| 142 | BRS  | 13   | 717/168-178.ccls. and (dll<br>or (dynamic adj link adj<br>librar\$6)) with package\$4  | USPAT;<br>US-PGPUB |
| 143 | BRS  | 41   | 717/168-178.ccls. and (dll<br>or (dynamic adj link adj<br>librar\$6)) and dependen\$7  | USPAT;<br>US-PGPUB |
| 144 | BRS  | 39   | 717/168-178.ccls. and<br>(librar\$6 with dependen\$7)                                  | USPAT;<br>US-PGPUB |
| 145 | BRS  | 9    | file\$1 with scenario\$2<br>with priorit\$6  | USPAT;<br>US-PGPUB |
| 146 | BRS  | 6    | scenario\$2 with sort\$7<br>with file\$1   | USPAT;<br>US-PGPUB |
| 147 | BRS  | 66   | download\$6 with priorit\$7<br>with (application\$1 or<br>software\$1)                 | USPAT;<br>US-PGPUB |
| 148 | BRS  | 16   | download\$6 with priorit\$7<br>near2 (application\$1 or<br>software\$1)                | USPAT;<br>US-PGPUB |
| 149 | BRS  | 42   | sort\$7 near2<br>(application\$1 or<br>software\$1)and 717/\$.ccls.                    | USPAT;<br>US-PGPUB |
| 150 | BRS  | 20   | sort\$7 with (pack\$7) and<br>717/\$.ccls.   | USPAT;<br>US-PGPUB |
| 151 | BRS  | 2    | sort\$7 with number\$6 with<br>time\$3 with download\$6                                | USPAT;<br>US-PGPUB |
| 152 | BRS  | 1127 | number\$6 with time\$3 with<br>download\$6   | USPAT;<br>US-PGPUB |
| 153 | BRS  | 7    | number\$6 adj time\$3 adj3<br>download\$6 same (sort\$5 or<br>order\$5)                | USPAT;<br>US-PGPUB |

|     | Type | Hits | Search Text   | DBs                |
|-----|------|------|---|--------------------|
| 154 | BRS  | 94   | number\$6 adj time\$3 adj3<br>download\$6                               | USPAT;<br>US-PGPUB |
| 155 | BRS  | 20   | sort\$7 with based with<br>averag\$5 with order\$6                      | USPAT;<br>US-PGPUB |
| 156 | BRS  | 0    | sort\$7 with based with<br>averag\$5 with priorit\$7                    | USPAT;<br>US-PGPUB |
| 157 | BRS  | 2    | sort\$7 same based with<br>averag\$5 with priorit\$7                    | USPAT;<br>US-PGPUB |
| 158 | BRS  | 3    | sort\$7 with averag\$5 with<br>priorit\$7                               | USPAT;<br>US-PGPUB |
| 159 | BRS  | 7    | (sort\$7 or order\$7) same<br>number\$6 adj time\$3 adj3<br>download\$6 | USPAT;<br>US-PGPUB |
| 160 | BRS  | 1    | sort\$7 with averag\$7 with<br>download\$7                              | USPAT;<br>US-PGPUB |
| 161 | BRS  | 15   | sort\$7 with averag\$7 with<br>access\$7                                | USPAT;<br>US-PGPUB |